



MAKE CERTAIN ALL
HARDWARE IS PROPERLY
TIGHTENED PRIOR TO USE
RE-CHECK AS NEEDED



CART SHOWN
UPSIDE DOWN



CART SHOWN
RIGHT SIDE UP

THE CASTERS ARE ASSEMBLED USING METRIC
HARDWARE - M10x1.5x19mm HEX BOLT

1. ASSEMBLE EACH CASTER USING THE INCLUDED HEX BOLT AND WASHERS MAKE CERTAIN TO ASSEMBLE THE SWIVEL CASTERS ON THE CORRECT END AND THE NON-SWIVEL CASTERS ON THE OPPOSING END
2. STAND CART ON END
3. ASSEMBLE THE LONG RAIL USING (4) 1/4-20 X 2" HEX BOLTS AND (4) 1/4" WASHERS MAKE CERTAIN THAT THE ANGLED CUT IS ORIENTED CORRECTLY TO CAPTURE THE CUSHION RAIL DURING USAGE
4. ASSEMBLE THE (4) TABLE FILLER PIECES THE LARGE ONES ARE FOR THE PRO CAT AND REQUIRE (3) 1/4-20 X 2" HEX BOLTS AND (3) 1/4" WASHERS.

THE SMALL ONES ARE TO BE USED FOR PANTHER TABLES ONLY AND REQUIRE (2) BOLTS AND (2) WASHERS EACH
KEEP THE UN-USED FILLERS IN A SAFE PLACE
MAKE CERTAIN ALL HARDWARE IS TIGHT
YOUR CART IS NOW READY TO USE

PER (1) CART

- 1 - RETAINER RAIL - SHORTY TO PUT IN INSERTS
- 4 - LARGE FILLER BLOCK - SHORTY TO PUT IN INSERTS - DANIEL TO APPLY CARPET
- 4 - SMALL FILLER BLOCK - SHORTY TO PUT IN INSERTS - DANIEL TO APPLY CARPET
- 24 - 1/4-20 X 2 HEX HEAD BOLTS - GET FROM ROSA
- 24 - 1/4 WASHER - GET FROM QC AREA

- 1 - MAIN CART BODY - REMOVE FROM CRATE
- 2 - SOLID CASTER - REMOVE FROM CRATE
- 2 - SWIVEL CASTERS - REMOVE FROM CRATE
- 16 - 10mm x 19mm HEX HEAD BOLT - REMOVE FROM CRATE
- 16 - 10mm WASHER

BOX EVERYTHING UP WITH BUBBLEWRAP IN ITS CORRECT BOX

CART MUST HOOK ON
CLOSED/NON-COIN SIDE

- 1 - HOOK CART ON TABLE MAKING SURE IT IS SEATED PROPERLY
- 2 - ATTACHED SAFETY/RATCHET STRAP (NOT INCLUDED) DO NOT OVERTIGHTEN

2 ADULTS PREFERRED

3. - CAREFULLY LIFT THE TABLE ON ITS SIDE

DO NOT REMOVE
STRAP UNTIL TABLE
IS IN ITS FINAL LOCATION
AND LOWERED

(1) THIS INSTRUCTION SHEET

- (1) RETAINER RAIL
- (4) LARGE FILLER PIECE
- (4) SMALL FILLER PIECE
- (24) 1/4-20 X 2" HEX HEAD BOLTS
- (24) 1/4 WASHER

- (2) SOLID CASTER
- (2) SWIVEL CASTER
- (16) 10mm X 19mm HEX HEAD BOLT
- (16) 10mm WASHER

